

บรรณานุกรม

- กฤษฎา บุญนพ, เมชา วรรณพัฒน์ และ ไชยณรงค์ นานวนุเคราะห์. (2551). การศึกษากระบวนการผลิตและการใช้ประโยชน์ของโปรตีนจากมันสำปะหลังหมักยีสต์ต่อกระบวนการหมัก การสังเคราะห์กลินทรีย์โปรตีน และความสามารถในการย่อยได้ของโภชนาในสัตว์เคี้ยวเอื้อง. ขอนแก่น : วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยขอนแก่น. หน้า 56.
- เกรียงศักดิ์ สถาปนคิริ. (2533). การย่อยได้ของแป้งจากข้าวเจ้าบด ปลายข้าวบด และมันสำปะหลังในแต่ละส่วนของทางเดินอาหารโคนมสาว. กรุงเทพฯ : วิทยานิพนธ์ปริญญาโท มหาวิทยาลัยเกษตรศาสตร์. หน้า 48.
- ฉลอง วชิราภรณ์. (2541). โภชนาศาสตร์ และการให้อาหารสัตว์เบื้องต้น. ขอนแก่น: ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. หน้า 13, 46.
- เมชา วรรณพัฒน์. (2533). โภชนาศาสตร์สัตว์เคี้ยวเอื้อง. กรุงเทพฯ : หจก.พีนีพลับลิชชิ่ง. หน้า 14, 18, 102, 182, 215.
- Arcos-Garcia, J. L. , Castrejon, F. A., Mendoza, G. D. , & Perez-Gavilana, E. P. (2000). Effect of two commercial yeast cultures with *Saccharomyces cerevisiae* on ruminal fermentation and digestion in sheep fed sugar cane tops. *Livestock Production Science*, 63 (1), 153.
- Akin, D.E., Gordon, G.I.R. , & Hogan, J. P. (1983). Rumen bacterial and fungal degradation of *Digiaria pentzii* grow with or without sulphur. *Apply Environment Microbiology*, 46 (3), 738.
- AOAC. (1990). *Official methods of analysis*. Virginia : Association of Official Analytical Chemists. P. 95.
- Bach, A. , Iglesias, C. , & Devant, M. (2007). Daily rumen pH pattern of loose-housed dairy cattle as affected by feeding pattern and live yeast supplementation. *Animal Feed Science and Technology*, 136 (1), 156.
- Bauchop, T. , & Mountfort, D. O. (1981). Cellulose fermentation by a rumen anaerobic fungus in both the absence and presence of rumen methanogens. *Apply Environment of Microbiology*, 42 (5), 1103.

- Brigstocke, T. D. A. , Cuthbert, N. H. , Thickett, W. S. , Lindeman, M. A. , & Wilson, P. N. (1981). A comparison of a dairy cows compound feed with and without a cassava given with grass silage. **Animal Production**, **33** (1), 19-24.
- Broderick, G. A. (2003). Effects of varying dietary protein and energy levels on the production of lactating dairy cows. **Journal of Dairy Science**, **86** (6), 1370.
- Bromner, J. M. , & Keeney, D. R. (1965). Steam distillations methods of determination of ammonia, nitrate and nitrite. **Annual Chemistry Acta**, **32** (1), 363.
- Brossard, L. , Chaucheyras-Durand, F. , Michalet-Doreau, B. , & Martin, C. (2006). Dose effect of live yeasts on rumen microbial communities and fermentations during butyric latent acidosis in sheep: newtype of interaction. **Journal of Animal Science**, **82** (1), 1-11.
- Brough, S. H. , Neale, R. J. , Norton, G. , & Wenham, J. E. (1995). The effects of variety, drying procedure, fineness of grinding and dietary inclusion level on the bioavailability of cassava (*Manihot Esculenta*, Crantz) starch. **Journal of Science Food and Agricultural**, **67** (1), 71-76.
- Chaucheyras-Durand, F. , Fonty, G. , Bertin, G. , & Gouet, P. (1995). Effects of live *Saccharomyces cerevisiae* cells on zoospore germination, growth, and cellulolytic activity of the rumen anaerobic fungus, *Neocallimastix frontalis* MCH3. **Current of Microbiology**, **31** (2), 201.
- Chen, S. A. , Abdulrazakt, W. J. , & Ørskov, E. R. (1992). The effect of supplementing strawwith barley or unmolassed sugar beet pulp on microbial protein supply in sheep estimated from urine derivative excretion. **Animal Production**, **55** (2), 413.
- Church, D. C. (1979). **Digestive physiology and nutrition of ruminants**. Oregon : O&B Books. p. 66.
- Chesworth, J. M. , Stuchbury, T. , & Scaife, J.R. (1998). **An introduction to agricultural biochemistry**. New York : Chapman & Hall. p. 64.
- Clark, J. H. , Klusmeyer, T. H. , & Cameron, M. R. (1992). Nitrogen metabolism and amino acid nutrition in dairy cattle. **Journal of Dairy Science**, **75** (6), 2304.

- Coleman, G. S. (1975). **The inter-relationship between rumen ciliate protozoa and bacteria.** Armidale : University of New England Publishing. p. 149.
- Coleman, G. S. , & Sanford, D. C. (1979). Engulfment and digestion of mixed rumen bacteria and individual bacterial species by single and mixed species of rumen ciliate protozoa grown in vivo. **Journal of Agricultural Science**, **92** (3), 729.
- Coleman, G. S. , J Laorie, I. J. , Bailey, E. , & Holdgate, S. A. (1976). The cultivation of cellulolytic protozoa isolated from the rumen. **Journal of General Microbiology**, **95** (1), 144.
- Cotta, M. A. , & Russell, J. B. (1982). The effect of peptides and amino acids on deficiency of rumen bacterial protein synthesis in continuous culture. **Journal of Dairy Science**, **65** (1), 226.
- Demeyer, D. I. (1981). Rumen microbes and digestion of plant cell walls. **Agricultural of Environment**, **6** (1), 295-337.
- Fonty, G. , Govet, P. , Jouany, J. P. , & Senaud, J. (1987). Establishment of the microflora and anaerobic fungi in the rumen of lambs. **Journal of General Microbiology**, **133** (6), 133:1835.
- France, J. , & Siddons, R. C. (1993). **Volatile fatty acid production.** Willingford : C.A.B. International Press. p 107-122.
- Hino, T. , & Russell, J. B. (1986). The effect of reducing equivalent divalent disposal and NADH/NAD on the deamination of amino acids by intact and cell-free extracts of rumen microorganisms. **Apply Environment of Microbiology**, **50** (6), 1368-1374.
- Helmer, L. G. , Bartley, E. E. , & Deyoe, C. W. (1970). Feed processing. VI. Comparison of starea, urea, and soybean meal as protein source for lactating dairy cow. **Journal of Dairy Science**, **53** (4), 883.
- Ho, Y. W. , & Abdullah, N. (1999). The role of rumen fungi in fibre digestion, review. **Asian-Australasian journal of Animal Science**, **12** (2), 104.
- Hoover, W.H. , & Stokes, S. R. (1991). Balancing carbohydrates and proteins for optimum Rumen microbial yield. **Journal of Dairy Science**, **74** (7), 3630-3640.

- Hungate, R. E. (1966). **The rumen and its microbes.** New York : Academic Press. p. 30, 36, 59.
- Huntington, G. B. (1997). Starch utilization by ruminants: from basics to bunk. **Journal of Animal Science**, **75** (3), 852-867.
- Ivan, M. , Hidiroglou, M. , & Peti, H. V. (1991). Duodenal flow of nitrogen following protozoal inoculation of fauna-free sheep fed a diet supplemented with casein of soybean meal. **Canadian Journal of Animal Science**, **71** (3), 793.
- Johns, A. T. (1951). Isolation of a bacterium producing propionic acid, from the rumen of sheep. **Journal of General Microbiology**, **5** (2), 317.
- Jouany, J. P. (2006). Optimizing rumen functions in the close-up transition period and early lactation to drive dry matter intake and energy balance in cows. **Animal Feed Science and Technology**, **96** (2), 250.
- Jouaney, J. P. , & Ushida, K. 1999. The role of protozoa in feed digestion. **Asian-Australasian Journal of Animal Science**, **12** (1), 113-126.
- Kennedy, P. M. , McSweeney, C. S. , Ffoulkes, D. , John, A. , A. Schlink, C. R. , LeFeuvre, P. , & Kerr, J. D. (1992). Intake and digestion in swamp buffaloes and cattle. I. The digestion of rice straw (*Oryza sativa*). **Journal of Agricultural Science**, **119** (1), 227.
- Khampa, S. , Wanapat, M. , Wachirapakorn, C. , Nontaso, N. , & Wattiaux, M. (2006b). Effects of urea level and sodium dl-malate in concentrate containing high cassava chip on ruminal fermentation efficiency, microbial protein synthesis in lactating dairy cows raised under tropical condition. **Asian-Australasian Journal of Animal Science**, **19** (4), 837-844.
- Khampa, S. , Wanapat, M. , Wachirapakorn, C. , Nontaso, N. , & Wattiaux, M. (2006). Effect of levels of sodium dl-malate supplementation on ruminal fermentation efficiency in concentrates containing high levels of cassava chip in dairy steers. **Asian-Australasian Journal of Animal Sciences**. **19** (3), 3: 368-375.

- Khandaker, Z. H. , & Tareque, A. M. M. (1997). Effect of rumen degradable protein (RDP) in straw based ration of purine derivatives excretion and microbial nitrogen supply in cattle. **Asian-Australasian Journal of Animal Science**, 10 (2), 364.
- Koakhunthod, S. , Wanapat, M. , Wachirapakorn, C. , Nontaso, N. , Rowlinson, P. , & Sornsungnern, N. (2001). **Effect of cassava hay and high-quality feed block supplementation on milk production in lactating dairy cows**. Khon Kaen : Khon Kaen University. p. 75.
- Koul, V. , Kumar, U. , Sareen, V. K. , & Singh, S. (1998). Mode of action of yeast culture (YEA-SACC1026) for stimulation of rumen fermentation in buffalo calves. **Journal of Science Food Agricultural**, 77 (2), 407.
- Kumar, U. , Sareen, V. K. , & Singh, S. (1997). Effect of yeast culture supplement on ruminal microbial populations and metabolism in buffalo calves fed a high roughage diet. **Journal of Science Food Agricultural**, 73 (1), 231.
- Lana, P. , Rogerio, J. , Russell, B. , & Van Amburgh, M. E. (1998). The role of pH in regulation ruminal methane and ammonia production. **Journal of Animal Science**, 76 (6), 2190-2196.
- Leng, R. A. , & Nolan, J. V. (1984). Protein nutrition of the lactating nitrogen metabolism in the rumen. **Journal of Dairy Science**, 67 (6), 1072.
- Mackie, R. I. , & White, B. A. (1990). Recent advances in rumen microbial ecology and metabolism, potential impact on nutrient out put. **Journal of Dairy Science**, 73 (6), 2971.
- Makkar, H. P., Blummel, M. , & Becker, K. (1995). *In vitro* effects of and Interactions between tannins and saponins and fate of tannins in the rumen. **Journal of Science Food Agricultural**, 69 (2), 481-493.
- Martin, S. A. (1998). Manipulation of the ruminal fermentation with organic acid: A review. **Journal of Animal Science**, 76 (10), 3123-3132.
- Martin, S. A. , Streeter, M. N. , Nisbet, D. J. , Hill, G. M. , & Williams, E. E. (1999). Effect of DL-malate on ruminal metabolism and performance of cattle fed a high concentrate diets. **Journal of Animal Science**, 77 (6), 1008-1015.

- Matsui, H. , Ushida, K. , & Kujima, Y. (1997). Effect of dietary concentrate on fungal zoosporogellosis in sheep rumen. **Asian-Australasian journal of Animal Science**, **10** (2), 599.
- McAllister, T. A. , Cheng, K. J. , Rode, L. M. , & Buchanan-Smith, J. G. (1990). Use of formaldehyde to regulate digestion of barley starch. **Canadian journal of Animal Science**, **70** (2), 581.
- Mendoza, G. D. , Britton, R. A. , & Stock, R. A. (1993). Influence of ruminal protozoa on site and extent of starch digestion and ruminal fermentation. **Journal of Animal Science**, **71** (6), 1572.
- Mountfort, D. O. , & Asher, R.A. (1985). Production and regulation of cellulase by two strains of the rumen of the rumen anaerobic fungus *Neocallimastix frontalis*. **Applied Environment of Microbiology**, **49** (6), 1314.
- Murphy, M. R. , Baldwin, L. R. , & Koong, L. J. (1982). Estimation of stoichiometric parameters for rumen fermentation of roughage and concentrate diets. **Journal of Animal Science**, **55** (2), 411-421.
- Newbold, C. J. , & Rode, L. M. (2006). Dietary additives to control methanogenesis in the rumen. **International Congress Series**. **12** (3), 138.
- Nocek, J. E. , & Russell, J. B. (1988). Protein and energy as an integrated system, Relationship of ruminal protein and carbohydrate availability to microbial synthesis and milk production. **Journal of Dairy Science**, **71** (10), 2070-2107.
- Nousiainen, J. , Shingfield, K. J. , & Huhtanen, P. (2004). Evaluation of milk urea nitrogen as a diagnostic of protein feeding. **Journal of Dairy Science**, **87** (2), 386.
- Oboh, G. (2006). Nutrient enrichment of cassava peels using a mixed culture of *Saccharomyces cerevisiae* and *Lactobacillus spp* solid media fermentation techniques. **Food of Chemistry**, **9** (1), 46.
- Oboh, G. , & Elusikan, C. A. (2007). Changes in the nutrient and anti-nutrient content of micro-fungi fermented cassava flour produced from low and medium-cyanide variety of cassava tubers. **African Journal of Biochemistry**, **6** (10), 2150.

- Orpin, C. G. (1978). Zoospore chemotaxis in the rumen phycomycete *Neocallimastix frontalis*. **Journal of General Microbiology**, **104** (1), 113.
- Orpin, C. G. , & Mann, E. A. (1986). *Neocallimastix patriciarum* sp. Nov., a new member of the Neocallimasticaceae ingabiting the rumen of sheep. **Translation of British Journal Mycology**, **86** (2), 178.
- Ørskov, E. R. (1992). **Protein nutrition in ruminants**. Carifornia : Academic Press. p. 56.
- Owens, F. N. , Scrist, D. S. , Hill, W. J. , & Gill, D. R. (1998). Acidosis in cattle : a review. **Journal of Animal Science**, **76** (1), 275.
- Perdok, H. G. , & Leng, R. A. (1990). Effect of supplementation with protein meal on the growth of cattle given a basal diet of untreated or ammoniated rice straw. **Asian-Australasian Journal of Animal Science**, **3** (2), 269.
- Preston, T. R. & Leng, R. A. (1987). Matching ruminant production systems with available resources in the tropics and sub-tropics. **British Journal of Nutrition**, **57** (1), 199-208.
- Prins, R. A. (1971). Isolation, culture, and fermentation characteristics of *Selenomonas ruminantium* var. *bryanti* var. n. from the rumen of sheep. **Journal of Bacteriology**, **105** (3), 820.
- Promkot, C. , M. Wanapat, C. Wachirapakorn, C. Navanukraw . (2007). Influence of Sulfur on Fresh Cassava Foliage and Cassava Hay Incubated in Rumen Fluid of Beef Cattle. **Asian-Australasian journal of Animal Science**, **20** (9), 1424.
- Russell, J. B. , & Strobe, H. J. (1987). Concentration of ammonia across cell membrane of mixed rumen bacteria. **Journal of Dairy Science**, **70** (5), 970-976.
- Satter, L. D. , & Slyter, L. (1974). Effect of ammonia concentration on rumen microbial protein production in vitro. **British Journal of Nutrition**, **32** (1), 199.
- SAS, (1998). **User's Guide: Statistic, Version 5. Edition**. Inst Cary, NC. p. 119.
- Schaefer, D. M. , Davis, C. L. , & Bryant, M. P. (1980). Ammonia saturation constants for predominant species of rumen bacteria. **Journal of Dairy Science**, **63** (6), 1248.
- Sommart, K. , Parker, D. S. , Wanapat, M. , & Rowlinson, P. (2000). Fermentation characteristics and microbial protein synthesis in an in vitro system using cassava, rice

- straw and dried ruzi grass as substrates. **Asian-Australasian Journal of Animal Science**, 13 (4), 1084-1093.
- Song, M. K. , & Kennelly, J. J. (1990). Ruminal fermentation pattern, bacterial population and rumen degradation of feed ingredients as influenced by ruminal ammonia concentration. **Journal of Animal Science**, 68(4), 1110-1120.
- Sutton, J. D. , Morant, S. V. , Bines, J. A. , Napper, D. J. , & Givens, D. I. (1993). Effect of altering the starch:fibre ratio in the concentrates on hay intake and milk production by Friesian cows. **Journal of Agricultural Science**, 120 (2), 379-390.
- Tamminga, S. (1979). Protein degradation in the fore-stomach of ruminants. **Journal of Animal Science**, 49 (5), 1615.
- Teather, R. M. , Mahadevan, S. J. , Erfle, D. , & Sauer, F. D. (1984). Negative correlation between protozoa and bacterial levels in rumen sample and its relation to the determination of dietary effects on the rumen microbial population. **Applied Environment of Microbiology**, 47 (2), 566.
- Ushida, K. , Kayouli, C. , De Smet, S. , & Jouany, J. P. (1990). Effect of defaunation on protein and fiber digestion in sheep fed on ammonia-treated straw-based diets with or without maize. **British Journal of Nutrition**, 64 (3), 765.
- Ushida, K. , Matsui, H. , Fujino, Y. , & Ha, J. K. (1997). Role and potential of ruminal in fiber digestion. **Asian-Australasian Journal of Animal Science**, 10 (3), 541.
- Van Soest, P. J. (1982). **Nutritional ecology of ruminant**. Oregon : O&B Book. p. 76, 312.
- Van Soest, P. J. (1994). **Nutritional ecology of the ruminant**. New York : Cornell University Press. p. 76, 253.
- Wallace, R. J. (1979). Effect of ammonia concentration on the composition, hydrolytic activity and nitrogen metabolism of the microbial flora of the rumen. **Journal of Applied Bacteriology**, 47 (2), 433-455.
- Wallace, R. J. , Broderick, G. A. , & Brammal, M. L. (1987). Protein degradation by ruminal microorganisms from sheep fed dietary supplements of urea, casein, or albumin. **Applied Environment of Microbiology**, 53(2), 751.

- Wanapat, M. (2000). Rumen manipulation to increase the efficient use of local feed resources and productivity of ruminants in the tropics. **Asian-Australasian Journal of Animal Science**, **13** (1), 59-67.
- Wanapat, M. (2003). Manipulation of cassava cultivation and utilization to improve protein to energy biomass for livestock feeding in the Tropics. **Asian-Australasian Journal of Animal Science**, **16** (2), 463-472.
- Wanapat, M. and O. Pimpa. (1999). Effect of ruminal NH₃-N levels on ruminal fermentation purine derivatives, digestibility and rice straw intake in swamp buffaloes. **Asian-Australasian Journal of Animal Science**, **12** (3), 904-907.
- Wanapat, M. , Petlum, A. , & Pimpa, O. (1999). Strategic supplementatin with a high-quality feed block on roughage in take, milk yield and composition and economic return in lactating dairy cows. **Asian-Australasian Journal of Animal Science**, **12** (3), 901-903.
- Wanapat, M. , Petlum, A. , & Pimpa, O. (2000). Supplementation of cassava hay to replace concentrate use in lactating Holstein-Friesian crossbreds. **Asian-Australasian Journal of Animal Science**, **13** (2), 600-604.
- Weimer, P. J. (1996). Why don't ruminal bacteria digest cellulose faster? **Journal of Dairy Science**, **79** (6), 1496.
- Weimer, P. J. (1998). Manipulating ruminal fermentation: A microbial ecological perspective. **Journal of Animal Science**, **76** (6), 3114-3122.
- Wohlt, J. E. , Clark, J. H. , & Blaisdell, F. S. (1978). Nutritional value of urea versus preformed protein for ruminants. II. Nitrogen utilization by dairy cows fed corn based diets containing supplemental nitrogen from urea and/or soybean meal. **Journal of Dairy Science**, **61** (3), 916-931.
- Ying, Y. , Allen, M. S. , VandeHar, M. J. , & Ames, N. K. (1998). Effects of fineness of grinding and conservation method of corn grain on ruminal and whole tract digestibility and ruminal microbial protein production of Holstein cows in early lactation. **Journal of Dairy Science**, **81** (2), 339-345.