

3. ข้อเสนอแนะของประชาชนเกี่ยวกับการปฏิบัติงานด้านโครงสร้างพื้นฐานขององค์การบริหารส่วนตำบลเชียงดา อำเภอสร้างคอม จังหวัดอุดรธานี มีดังนี้ มีไฟฟ้าสาธารณะส่องสว่างในทางแยกบริเวณชุมชน มีอุปกรณ์ป้องกันฟ้าผ่า มีการดำเนินการตรวจสอบบำรุงความเสียหายได้ทันท่วงที มีอุปกรณ์ป้องกันไฟฟ้ารั่วซึม มีการปฏิบัติงานด้านไฟฟ้าสาธารณะให้เป็นไปตามความต้องการของประชาชน มีการตัดกิ่งไม้ที่บดบังแสงสว่างของไฟฟ้าสาธารณะในเขตชุมชน



มหาวิทยาลัยราชภัฏมหาสารคาม
RAJABHAT MAHASARAKHAM UNIVERSITY

TITLE : Infrastructure Operation for Chiang Da Subdistrict Organization, Sang Khom District,
Udon Thani Province

AUTHOR : Pisan Lumphoeiphol

DEGREE : M.P.A. (Public Administration)

ADVISORS : Dr. Sonsak Jeerasombat

Chairman

Dr. Pakdee Phosing

Committee

Dr. Witaya Charoensiri

Committee

RAJABHAT MAHASARAKHAM UNIVERSITY, 2013

ABSTRACT

The objectives of this research were 1) to study the people's opinions on infrastructure operation for Chiang Da subdistrict organization, Sang Khom district, Udon Thani province; 2) to compare the people's opinions on gender, occupation, and dwelling on infrastructure operation for Chiang Da subdistrict organization, Sang Khom district, Udon Thani province; and 3) to study the suggestions on infrastructure operation for Chiang Da subdistrict organization, Sang Khom district, Udon Thani province. The participants of the present study were 347 people (it is divided by personal status, e.g. aged 18 and above and eligible voter) selected through the Yamane sampling sized formula. The instrument for collecting data was the questionnaire with .88 of reliability. In doing so, a percentage, average, standard deviation, t-test (Independent Sample), F-test, one-way analysis of variance (one-way ANOVA), and testing the pair difference by method of LSD (Least Significant Differences), were used as the statistical methods.

The research results were as followed;

1. The people's opinions on infrastructure operation for Chiang Da subdistrict organization, Sang Khom district, Udon Thani province had overall opinion at moderate level and by considering in aspects, it was found that the overall level was rated as moderate in all aspects which can be ranked by mean from highest to lowest as follows: water consume - consumption, transportations, and Public Illumination.

2. Regarding the age and occupation, these factors were found to be no significant differences related to the people's opinions on infrastructure operation for Chiang Da subdistrict

organization, Sang Khom district, Udon Thani province. However, the significant differences was found in welling.

3. The useful suggestion about on infrastructure operation for Chiang Da subdistrict organization, Sang Khom district, Udon Thani province as follows : public electric lighting in separate communities, lightning protection device, to conduct maintenance damage immediately, with electrical leakage protection device, the operation of the public power to meet the needs of the people, and cut tree branches that obscured the light of public power in the community.



มหาวิทยาลัยราชภัฏมหาสารคาม
RAJABHAT MAHASARAKHAM UNIVERSITY