ชื่อเรื่อง : พฤติกรรมการป้องกันตนเองจากยาเสพติดของนักเรียนโรงเรียนทรายมูลวิทยา

อำเภอทรายมูล จังหวัดยโสธร

ผู้วิจัย : นางสาววรรณสว่าง ยานกาย

ปริญญา : รัฐประศาสนศาสตรมหาบัณฑิต (รัฐประศาสนศาสตร์)

มหาวิทยาลัยราชภัฏมหาสารคาม

อาจารย์ที่ปรึกษา : รองศาสตราจารย์ คร.สัญญา เคณาภูมิ

รองศาสตราจารย์ คร.ภักดี โพธิ์สิงห์

ปีการศึกษา : 2562

บทคัดย่อ

การวิจัยครั้งนี้ มีวัตถุประสงค์ เพื่อศึกษาพฤติกรรมการป้องกันตนเองจากขาเสพติดของนักเรียน โรงเรียนทรายมูลวิทยา อำเภอทรายมูล จังหวัดยโสธร กลุ่มตัวอย่าง ได้แก่ นักเรียน โรงเรียนทราย มูลวิทยา อำเภอทรายมูล จังหวัดยโสธร จำนวน 290 คน ได้มาโดยการกำหนดขนาดกลุ่มตัวอย่าง โดยใช้สูตรทาโร่ ยามาเน่ และการสุ่มตัวอย่างแบบง่าย เครื่องมือเป็นแบบสอบถามเกี่ยวกับพฤติกรรม การป้องกันตนเองจากยาเสพติดของนักเรียนโรงเรียนโดยผู้วิจัยได้แบ่งระดับความคิดเห็นเป็นแบบ มาตราส่วนประมาณค่า สถิติในการวิเคราะห์ข้อมูล ได้แก่ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน และการวิเคราะห์พลุลูณแบบถดถอยโดยกำหนดระดับนัยสำคัญทางสถิติที่ .05

ผลการวิจัยพบว่า (1) พฤติกรรมการป้องกันตนเองจากยาเสพติดของนักเรียนโรงเรียนทราย มูลวิทยา อำเภอทรายมูล จังหวัดยโสธร โดยรวมทุกด้าน อยู่ในระดับมากที่สุด $(\overline{X}=4.44)$ พิจารณา เป็นรายด้าน พบว่า อยู่ในระดับมาก เรียงลำดับค่าเฉลี่ยจากมากไปน้อย 10 อันดับแรก ดังนี้ นักเรียน รู้สึกดี เมื่อเห็นว่ามีหน่วยงานของรัฐเข้าไปรณรงค์ประชาสัมพันธ์ หรือตรวจจับยาเสพติดในทุกพื้นที่ $(\overline{X}=4.62)$ นักเรียนจะปฏิเสธทันที เมื่อเพื่อนนำยาเสพติดมาและชวนให้เสพยาเสพติด $(\overline{X}=4.59)$ นักเรียนมีวินัยในตนเองเป็นหลักในการใช้ชีวิตประจำวันเพื่อห่างไกลสิ่งเสพติด $(\overline{X}=4.57)$ นักเรียน สามารถดำรงตนเองด้วยการไม่เสพยาเสพติด ถึงแม้สถานที่พักอาศัยจะมีการระบาดของยาเสพติดก็ตาม $(\overline{X}=4.57)$ นักเรียนมีความระมัดระวังบุคคลแปลกหน้าที่ให้สิ่งของเพื่อจูงใจให้ใช้ยาเสพติด $(\overline{X}=4.56)$ นักเรียนใด้รับทราบว่า สังคมมีปัญหามากจากยาเสพติด จึงไม่ต้องการเป็นปัญหาต่อสังคมเพิ่มอีกด้วย การไม่เสพยาเสพติด $(\overline{X}=4.56)$ นักเรียนจะหลีกเลี่ยงการดื่มสุราของมีนเมาเพราะเป็นช่องทางให้มี การเสพยาเสพติดได้ง่าย $(\overline{X}=4.54)$ นักเรียนมีความมุ่งมั่นที่ไม่เสพยาเสพติด เนื่องจากกลัวความเสื่อมเสีย จะเกิดกับวงศ์ตระกูล $(\overline{X}=4.54)$ นักเรียนจะหลีกเลี่ยงพฤติกรรมที่เสี่ยงต่อการใช้ยาเสพติด เช่น เที่ยวกลางลืนหรือมั่วสุมในแหล่งขาดผู้ดูแล $(\overline{X}=4.53)$ และ นักเรียนไม่เกี่ยวข้องกับยาเสพติดเพราะ

สถานศึกษามีระเบียบ และบทลงโทษขั้นร้ายแรงถึงไล่ออก ($\overline{X}=4.49$) (2) พฤติกรรมการป้องกันตนเอง จากยาเสพติดของนักเรียนโรงเรียนทรายมูลวิทยา อำเภอทรายมูล จังหวัดยโสธร โดยรวมทุกด้าน จำแนกตามการศึกษา มีความแตกต่างกันอย่างมีนัยสำคัญทางสถิติที่ระดับ .05 ส่วนจำแนกตามเพส และชั้นปีการศึกษาปัจจุบัน ไม่มีความแตกต่างกัน อย่างมีนัยสำคัญทางสถิติที่ระดับ .05 (3) ข้อเสนอแนะ ได้แก่ ด้านนักเรียน ควรใช้เวลาว่างให้เกิดประโยชน์ ควรตระหนักถึงโทษของยาเสพติด พิษภัยที่จะ เกิดขึ้นกับตนเอง ด้านโรงเรียน ควรมีการจัดฝึกอบรมให้ความรู้เกี่ยวกับยาเสพติด และเชิญวิทยากร โดยเจ้าหน้าที่ตำรวจมาให้ความรู้เกี่ยวกับบทลงโทษ ด้านครอบครัว ต้องคอยทำหน้าที่ปลูกฝังค่านิยม ที่ดีให้ความอบอุ่นให้คำปรึกษาที่ถูกต้องแก่สมาชิกในครอบครัว ผู้ปกครอง ควรจะประพฤติตนเป็น แบบอย่างที่ดี ด้านชุมชน ควรให้ความรู้ โดยการอบรมแก่ทุกคนในชุมชนให้เห็นโทษ หรืออันตราย จากสิ่งเสพติด ควรเสริมกิจกรรมยามว่าง โดยการส่งเสริมอาชีพแก่ชุมชนยามว่าง ด้านหน่วยงานภาครัฐ และเอกชน ภาครัฐกวรมีนโยบายเร่งค่วนในการแก้ไขปัญหายาเสพติด ควรให้ความรู้แก่ประชาชน เรื่องโทษของยาเสพติดบทลงโทษของผู้ที่กระทำความผิด ควรมีบุคลากรในการป้องกัน และแก้ไขปัญหา รวมทั้งฟื้นฟูผู้ที่เสพยาเสพติดให้เพียงพอ

คำสำคัญ: พฤติกรรมการป้องกันตนเอง นักเรียน ยาเสพติด พฤติกรรม

Title : Self - Prevention Behavior From Drugs of Student in Saimoonwittaya School, Saimoon

District, Yasothon Province

Author: Miss Vansawang Yangay

Degree: Master of Public Administration (Public Administration)

Rajabhat Maha SaraKham University

Advisor: Associate Professor Dr. Sanya Kanaphoom

Associate Professor Dr. Pakdee Phosing

Year : 2019

ABSTRACT

This research aimed to study the self - prevention behavior from drugs of student in Saimoonwittaya School, Saimoon district, Yasothon Province. The sample was 290 students studying at Saimoonwittaya School, Saimoon district, Yasothon Province; they were selected by simple random sampling. The instrument was questionnaire concerning students' self-prevention behavior from drugs. The statistics were descriptive statistics and multiple regression analysis.

The results of research were as follow: (1) The research results were found that; the students' self-prevention behavior from drugs in Saimoonwittaya School, Saimoon district, Yasothon province as overall was high level ($\overline{X} = 4.44$), considering all aspect was at highest as well; ranking mean from highest to lowest; Students feel good when they see government agencies campaigning or detecting drugs in all areas ($\overline{X} = 4.62$), students will refuse immediately when their friends invite them to take drugs ($\overline{X} = 4.59$), students have self-discipline in daily living to stay away from addictions ($\overline{X} = 4.57$) Students can self-sustain without having to deal with drugs, even if the residence is in outbreak of drugs ($\overline{X} = 4.57$), students are cautious of strangers who may be tempted to use drugs ($\overline{X} = 4.56$), students realized that the society had problems with drugs so they did not want to be a problem of society ($\overline{X} = 4.56$), students will avoid drinking alcohol or intoxicants because it is a channel for easy drug use ($\overline{X} = 4.54$), students are committed not to interfere with drugs due to fear of deterioration with their ancestors ($\overline{X} = 4.54$), students will avoid risky behaviors such as night time or intoxication at risked places ($\overline{X} = 4.53$), and students are not involved in drugs because the school rules and punishes serious dismissal ($\overline{X} = 4.49$). (2) The self-prevention behavior from drugs of student in Saimoonwittaya School, Saimoon district, Yasothon Province

ฉ

overall classified by education was difference by statistical significant at .05 level, however, classified

by gender and education level were not difference. Factors affecting of the Self - Prevention Behavior

from drugs of Student in Saimoonwittaya School, Saimoon district, Yasothon Province include

education. The correlation coefficient was .180 and descriptive variation was 3.2 percentage significantly

at .05 level. (3) Students should use their free time to benefit and aware of the penalty of drugs and the

danger that will happen to yourself. School should be training for knowledge about drugs and invited

the speakers as the police to give knowledge about the punishment. Families must cultivate good

values, giving love and warmth and correct counseling to family members, parents should be have as

a good example. Community should educate by training for everyone in the community to see the

blame or danger from drugs and should promote free activities to benefit and sending a career to

the community. Government and private agencies should have an argent policy in solving drug

problems. There should be personal to prevent and solve problems including adequate treatment

of drug users.

Keywords: Self - Prevention Behavior Student Drugs Behavior

Major Advisor